

Birds of Lane County, Oregon

Bold = Breeds; *Italics* = Rare/Vagrant; * = Very Rare; send details to OBRC
 (I) = Introduced; # = Dead; ? = Uncertain Status

ABUNDANCE KEY

- █** **COMMON:** Occurs in moderate to large numbers, and easily found in appropriate habitat at the right time of year, often in large flocks.
- ▬** **FAIRLY COMMON:** Occurs in small to moderate numbers, and usually easy to find in appropriate habitat at the right time of year.
- **UNCOMMON:** Regularly found in proper habitat in small to moderate numbers.
-** **RARE:** Annual or nearly annual, can be irregular or irruptive, not easily found.
-** **OCCASIONAL:** Unexpected vagrants or extraordinary out-of-season occurrence.

REGION KEY

- Cas=Cascades
- CR=Coast Range
- FL=greater Florence area
- FR=Fern Ridge area
- LCC=Lane Comm. Coll.
- McK=McKenzie Valley
- S=Springfield
- Sil=Siltcoos River
- WG=Waldo/Gold L. area
- WV=Willamette Valley

		Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	Comments
<input type="checkbox"/>	Gr. White-fr. Goose					█	█	█	█	█	mainly seen in migration
<input type="checkbox"/>	<i>Emperor Goose</i>											sometimes remains for months
<input type="checkbox"/>	Snow Goose												█	small numbers, irregular and local in winter
<input type="checkbox"/>	Ross's Goose											rare, possibly increasing
<input type="checkbox"/>	Brant (Black)					█	█	█	█	█	almost all coastal
<input type="checkbox"/>	Cackling Goose	█	█	█	█	█	█	█	█				█	
<input type="checkbox"/>	Canada Goose	█	█	█	█	█	█	█	█	█	█	█	█	expanding as breeder, mainly at constructed ponds
<input type="checkbox"/>	Trumpeter Swan							unusual 2May1998, 27Jun1991
<input type="checkbox"/>	Tundra Swan					█	█	█	abundant in local flocks, mainly FR and N of Eugene airport
<input type="checkbox"/>	Wood Duck					█	█	█	█	█				widespread in summer, local in winter, mainly WV, coast
<input type="checkbox"/>	Gadwall								rare breeder WV, FR
<input type="checkbox"/>	<i>Falcated Duck</i> *											winter four years 2004-2007, presumed same bird
<input type="checkbox"/>	Eurasian Wigeon											█	
<input type="checkbox"/>	American Wigeon					█	█	█	█	█	█	█	█	small numbers may breed FR
<input type="checkbox"/>	<i>American Black Duck</i> *													- 25Dec1984, origin unknown
<input type="checkbox"/>	Mallard	█	█	█	█	█	█	█	█	█	█	█	█	

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Ducks, Geese, and Swans												Comments
<input type="checkbox"/>	Blue-winged Teal											may breed FR, WV, numbers vary
<input type="checkbox"/>	Cinnamon Teal											almost annual mid-winter
<input type="checkbox"/>	Northern Shoveler											irregular local breeder
<input type="checkbox"/>	Northern Pintail											not known to breed, abundant some winters
<input type="checkbox"/>	Baikal Teal *											# 31Dec2007 FR
<input type="checkbox"/>	Green-winged Teal											irregular breeder WG 1980s, possibly FR
<input type="checkbox"/>	Canvasback											Unusual 15June74; Locally common winter Siltcoos Lk
<input type="checkbox"/>	Redhead											breeder FR most years since late 1990s
<input type="checkbox"/>	Ring-necked Duck											
<input type="checkbox"/>	Tufted Duck											not annual
<input type="checkbox"/>	Greater Scaup											most coastal, nonbreeders may occasionally summer
<input type="checkbox"/>	Lesser Scaup											nonbreeders may occasionally summer
<input type="checkbox"/>	Steller's Eider *											3Feb2007, Brays Point
<input type="checkbox"/>	King Eider *											12Apr1981, 1Jul1987, 22Oct1993, 18Dec2000 FL
<input type="checkbox"/>	Harlequin Duck											rare irregular breeder Cas, may summer on coast
<input type="checkbox"/>	Surf Scoter											summer nonbreeder, numbers vary widely
<input type="checkbox"/>	White-winged Scoter											summer nonbreeder, numbers vary widely
<input type="checkbox"/>	Black Scoter											local, mainly off rocky coast
<input type="checkbox"/>	Long-tailed Duck											unusual 25-28Jun1997, Jul1994, FL
<input type="checkbox"/>	Bufflehead											rare breeder high Cas, WG, winter flocks in lowlands
<input type="checkbox"/>	Common Goldeneye											primarily east of WV
<input type="checkbox"/>	Barrow's Goldeneye											local breeder high Cas, rare W of Cas lakes any season
<input type="checkbox"/>	Hooded Merganser											locally common some winters
<input type="checkbox"/>	Common Merganser											flocks local in winter, mainly large lakes and rivers, abundant FR winter
<input type="checkbox"/>	Red-br. Merganser											unusual away from coast
<input type="checkbox"/>	Ruddy Duck											irregular breeder LCC and FR, locally common winter Siltcoos L
New World Quail												
<input type="checkbox"/>	Mountain Quail											
<input type="checkbox"/>	California Quail											mostly interior lowlands
Partridges, Grouse, Turkeys, and Old World Quail												
<input type="checkbox"/>	Ring-nk. Pheasant											most in WV, rare on coastal slope, declining
<input type="checkbox"/>	Ruffed Grouse											

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Partridges, Grouse, Turkeys, and Old World Quail												Comments
<input type="checkbox"/>	Sooty Grouse											mainly montane
<input type="checkbox"/>	Wild Turkey	1										local, most WV foothills, Eugene, expanding
Grebes												
<input type="checkbox"/>	Pied-billed Grebe											locally common in winter Siltcoos L, ponds
<input type="checkbox"/>	Horned Grebe						
<input type="checkbox"/>	Red-necked Grebe											mainly outer coast
<input type="checkbox"/>	Eared Grebe						local, mainly FL and larger lakes
<input type="checkbox"/>	Western Grebe											breeds FR, uncommon countywide, mainly coast
<input type="checkbox"/>	Clark's Grebe											several pairs breed FR, rare winter FR, coast
Pigeons and Doves												
<input type="checkbox"/>	Rock Pigeon	1										mainly urban and where kept
<input type="checkbox"/>	Band-tailed Pigeon						irregular in winter
<input type="checkbox"/>	Eur. Collared-Dove	1										local, mostly rural and city edges, numbers unstable
<input type="checkbox"/>	White-winged Dove	*		24Oct1998, 28-30Sep2008, 7June2009, 1Mar2010
<input type="checkbox"/>	Mourning Dove											few on outer coast except at farms, feeders
Cuckoos, Roadrunners, and Anis												
<input type="checkbox"/>	Yellow-billed Cuckoo						..					collected near Florence 30June1915, specimen lost?
Goatsuckers												
<input type="checkbox"/>	Common Nighthawk											most in Cas and CR, rarest WV, latest 12Oct1962 Eugene
<input type="checkbox"/>	Common Poorwill											irregular and local, mostly high Cas openings
Swifts												
<input type="checkbox"/>	Black Swift											breeds Salt Creek Falls, Swift Creek Basin, rare migrant elsewhere
<input type="checkbox"/>	Chimney Swift	*			12May2014, 21-24Sep2014
<input type="checkbox"/>	Vaux's Swift											abundant at roost sites in migration
<input type="checkbox"/>	White-throated Swift											4May2000, 25Sep1973
Hummingbirds												
<input type="checkbox"/>	Blk-chin. Hummingbird											mainly Cas, rare W to Eugene
<input type="checkbox"/>	Anna's Hummingbird											small numbers but highly visible, mainly urban, expanding in rural areas
<input type="checkbox"/>	Costa's Hummingbird											mainly lowlands
<input type="checkbox"/>	Rufous Hummingbird											spring lowlands, fall montane, males southbound in June
<input type="checkbox"/>	Calliope Hummingbird											rare irreg breeder Cas, rare in spring WV, early 23Mar2002 Eugene

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Rails, Gallinules, and Coots												Comments
<input type="checkbox"/>	Virginia Rail											most at FR, other marshes, most winter on coast
<input type="checkbox"/>	Sora											most FR, major marshes, coastal in winter
<input type="checkbox"/>	American Coot											most inland in summer, local on coastal marshes
Cranes												
<input type="checkbox"/>	Sandhill Crane											migrant flocks, has bred Cas, rare W of WV, few winter
Stilts and Avocets												
<input type="checkbox"/>	Black-necked Stilt											a few most years WW, has bred FR in 2000s
<input type="checkbox"/>	American Avocet											nearly annual, unusual 9-14Feb1986 FR
Oystercatchers												
<input type="checkbox"/>	Black Oystercatcher											
Lapwings and Plovers												
<input type="checkbox"/>	Black-bellied Plover											most coastal, especially in winter
<input type="checkbox"/>	Amer. Golden-Plover											most coastal, nearly absent some years
<input type="checkbox"/>	Pacific Golden-Plover											nearly absent some years
<input type="checkbox"/>	Snowy Plover											local, outer beaches, rare elsewhere
<input type="checkbox"/>	Semipalmated Plover											occasional in winter
<input type="checkbox"/>	Piping Plover	*										20Aug2012 Flor
<input type="checkbox"/>	Killdeer											
<input type="checkbox"/>	Eurasian Dotterel	*										24-26Sep2000 FL
Sandpipers, Phalaropes, and Allies												
<input type="checkbox"/>	Upland Sandpiper											24Aug2012, 4Sep2015
<input type="checkbox"/>	Whimbrel											coastal, occasional FR
<input type="checkbox"/>	Hudsonian Godwit	*										18Sep1990, 6Aug1995 FL
<input type="checkbox"/>	Bar-tailed Godwit											17Sep2004 FL
<input type="checkbox"/>	Marbled Godwit											mainly coast, rare FR, late 11Nov1975, unusual 20Feb1999
<input type="checkbox"/>	Ruddy Turnstone											declining, most coastal, usually absent in winter
<input type="checkbox"/>	Black Turnstone											local, rocky coast, very rare FR
<input type="checkbox"/>	Red Knot											mainly FL, unusual 27Dec1987 FL
<input type="checkbox"/>	Surfbird											local, rocky coast
<input type="checkbox"/>	Ruff											almost annual
<input type="checkbox"/>	Sharp-tailed Sandpiper											almost annual

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Sandpipers, Phalaropes, and Allies												Comments
<input type="checkbox"/>	<i>Stilt Sandpiper</i>										irregular, not annual
<input type="checkbox"/>	<i>Curlew Sandpiper</i>	*								17-18Sep1999 FL, 24Nov2005, 14Aug2012
<input type="checkbox"/>	<i>Red-necked Stint</i>	*								19Sep2004, 4-6Oct2006, 23Jul2012, 23Jul2005, all coastal
<input type="checkbox"/>	Sanderling											mainly coastal, annual in very small numbers FR
<input type="checkbox"/>	Dunlin											
<input type="checkbox"/>	Rock Sandpiper											not annual, unusual 27Jun2000 Sil
<input type="checkbox"/>	Baird's Sandpiper											unusual 20Nov1995 FR, numbers vary year to year
<input type="checkbox"/>	Least Sandpiper											
<input type="checkbox"/>	<i>Buff-breast. Sandpiper</i>											most late Aug-early Sep, varies by year, less regular since 2010
<input type="checkbox"/>	Pectoral Sandpiper											numbers vary year to year, some straggle into June
<input type="checkbox"/>	Sempalm. Sandpiper											very few annual, none later than Sep, early 29Jun1969 FL
<input type="checkbox"/>	Western Sandpiper											very few in June, rare winter at FL and FR
<input type="checkbox"/>	Short-billed Dowitcher											most coastal
<input type="checkbox"/>	Long-billed Dowitcher											
<input type="checkbox"/>	<i>Jack Snipe</i>	*	2 Flor deflation plain fall, 1 FR winter
<input type="checkbox"/>	Wilson's Snipe											rare local irregular breeder Cas, CR, FR
<input type="checkbox"/>	Spotted Sandpiper											rare in November?
<input type="checkbox"/>	Solitary Sandpiper											summered and probably bred Gold L, not recent in summer
<input type="checkbox"/>	Wandering Tattler									earliest 10Jul1934
<input type="checkbox"/>	<i>Spotted Redshank</i>	*										4-6Jul2012, FR
<input type="checkbox"/>	Greater Yellowlegs											winter numbers vary
<input type="checkbox"/>	Willet											most FL, Sil, nearly annual Aug
<input type="checkbox"/>	Lesser Yellowlegs											1-3 birds per winter 1997 to early 2000s, few since
<input type="checkbox"/>	<i>Wood Sandpiper</i>	*										one record, 29Sep-4Oct2008 FR
<input type="checkbox"/>	Wilson's Phalarope											recent rare breeder FR, 3 unusual on 19Oct2000 FR
<input type="checkbox"/>	Red-necked Phalarope											no winter records
<input type="checkbox"/>	Red Phalarope											mainly offshore, onshore after storms
Skuas and Jaegers												
<input type="checkbox"/>	South Polar Skua											23Dec1988 beached alive, 9Sep1989, 8Apr1992, 6Oct2001
<input type="checkbox"/>	Pomarine Jaeger											mostly offshore
<input type="checkbox"/>	Parasitic Jaeger											mostly offshore
<input type="checkbox"/>	Long-tailed Jaeger											mostly far offshore, casual inland, unusual 21Jul1987

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Auks, Murres, and Puffins		Comments
<input type="checkbox"/> Common Murre		abundant where breeds
<input type="checkbox"/> Thick-billed Murre *		30Jan1933 FL #
<input type="checkbox"/> Pigeon Guillemot		common where breeds, rare in winter
<input type="checkbox"/> Long-billed Murrelet *		30Jul1998 coastal, possible Aug1997 at Leaburg Res
<input type="checkbox"/> Marbled Murrelet		most visible Aug-Sep on outer coast
<input type="checkbox"/> Scripps's Murrelet *		31Aug1985 offshore, 23Jul1991 coast [either Scripps's or Guadalupe]
<input type="checkbox"/> Ancient Murrelet		numbers vary year to year, can be locally common in peak years
<input type="checkbox"/> Cassin's Auklet		mainly pelagic, many summer records, not known to breed
<input type="checkbox"/> Parakeet Auklet *		offshore, 5May2016
<input type="checkbox"/> Rhinoceros Auklet		breeds Sea Lion Caves, regular Aug-Sep FL jetties
<input type="checkbox"/> Horned Puffin		most late winter and mid-summer
<input type="checkbox"/> Tufted Puffin		decreasing in county, former breeder Heceta Head

Skuas, Gulls, Terns, and Skimmers		Comments
<input type="checkbox"/> Black-legged Kittiwake		almost all coastal
<input type="checkbox"/> Sabine's Gull		most coastal, rare but regular FR in fall
<input type="checkbox"/> Bonaparte's Gull		
<input type="checkbox"/> Little Gull *		6Dec2009 FR
<input type="checkbox"/> Franklin's Gull		nearly annual, latest 13Dec2016
<input type="checkbox"/> Heermann's Gull		occasional inland, mostly late Oct-early Nov
<input type="checkbox"/> Mew Gull		coastal peak winter, valley peak Mar in wet years
<input type="checkbox"/> Ring-billed Gull		most WV, local on coast away from outer beaches
<input type="checkbox"/> Western Gull		almost all coastal
<input type="checkbox"/> California Gull		enormous flocks coast Jul-Sep
<input type="checkbox"/> Herring Gull		most coastal, peak after storms
<input type="checkbox"/> Thayer's Gull		sometimes common on coast after storms
<input type="checkbox"/> Less. Blk-backed Gull *		Mar/Nov 2001 FR, 24Nov+2014, 22Oct2016
<input type="checkbox"/> Slaty-backed Gull *		6April2008 Heceta SP
<input type="checkbox"/> Glaucous-winged Gull		rare irregular breeder, mainly Heceta Head
<input type="checkbox"/> Glaucous Gull		most coastal
<input type="checkbox"/> Least Tern *		19Aug1973, 8Jun1997 FL
<input type="checkbox"/> Caspian Tern		most coastal, regular FR
<input type="checkbox"/> Black Tern		very local, breeds FR, casual migrant elsewhere

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Skuas, Gulls, Terns, and Skimmers												Comments	
<input type="checkbox"/> Common Tern					—————	—————	most coastal, latest 11Nov1975 FR, spring status unclear
<input type="checkbox"/> Arctic Tern					—————	—————	mostly offshore, spring status unclear
<input type="checkbox"/> Forster's Tern						—————						rare summer FR, Dorena L
<input type="checkbox"/> Elegant Tern												FL, irruptive, can be briefly common in peak years
Tropicbirds													
<input type="checkbox"/> Red-billed Tropicbird *							..						13May2008, 25 miles W of Florence
Loons													
<input type="checkbox"/> Red-throated Loon						—————	—————					most movements west of surfline, sometimes common
<input type="checkbox"/> Pacific Loon						—————	—————			—————	most movements west of surfline, sometimes abundant
<input type="checkbox"/> Common Loon						—————	—————			—————	
<input type="checkbox"/> Yellow-billed Loon						4 coastal, 1 FR, 1 Dexter L
Albatrosses													
<input type="checkbox"/> Laysan Albatross						—————	—————	probably regular offshore, 15Apr1958, 7Oct2000
<input type="checkbox"/> Black-footed Albatross						—————	—————	offshore
Shearwaters and Petrels													
<input type="checkbox"/> Northern Fulmar						—————	—————	offshore, abundant some years, often visible from shore
<input type="checkbox"/> Murphy's Petrel *										a few offshore reports
<input type="checkbox"/> Mottled Petrel *												..	probably rare but regular, 16Dec2015
<input type="checkbox"/> Cook's Petrel						..							rare offshore
<input type="checkbox"/> Streaked Shearwater *											..		unconfirmed offshore, 13Sep1996
<input type="checkbox"/> Buller's Shearwater											—————	offshore, 7Jan2001 FL
<input type="checkbox"/> Short-tailed Shearwater						—————	offshore, sometimes visible from shore
<input type="checkbox"/> Sooty Shearwater						—————	—————	offshore and along coast, sometimes abundant
<input type="checkbox"/> Pink-footed Shearwater						—————	—————	offshore, common some years
<input type="checkbox"/> Flesh-footed Shearwater						—————	rare offshore, probably most in fall, status unclear
<input type="checkbox"/> Manx Shearwater										12May2010, status unclear
<input type="checkbox"/> Blk-vent. Shearwater *												nearshore, unique incursion fall 2015
Storm-Petrels													
<input type="checkbox"/> Fork-tailed Storm-Petrel						—————	—————	offshore, rare from shore
<input type="checkbox"/> Leach's Storm-Petrel										offshore, rare from shore
<input type="checkbox"/> Ashy Storm-Petrel *								18Oct2014, 20July2015, offshore

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Frigatebirds												Comments	
<input type="checkbox"/>	<i>Magnif. Frigatebird</i>	*					29Jul1983, 4Mar1987 FL
Boobies and Gannets													
<input type="checkbox"/>	<i>Brown Booby</i>	*										..	27Oct2015 Heceta Head
Cormorants													
<input type="checkbox"/>	Brandt's Cormorant												abundant at colonies, much reduced in winter
<input type="checkbox"/>	Double-cr. Cormorant												abundant at colonies
<input type="checkbox"/>	Pelagic Cormorant												common at colonies, otherwise can be uncommon in summer
Pelicans													
<input type="checkbox"/>	American White Pelican												locally common FR
<input type="checkbox"/>	Brown Pelican		outer coast
Hérons, Bitterns, and Allies													
<input type="checkbox"/>	American Bittern		most visible at FR
<input type="checkbox"/>	<i>Least Bittern</i>							..					14Jun1968 FR, also spring [around 1970] Eugene
<input type="checkbox"/>	Great Blue Heron												highly visible though not high numbers
<input type="checkbox"/>	Great Egret												coast peak summer, FR peak fall, has bred at Cushman and probably near FR
<input type="checkbox"/>	<i>Snowy Egret</i>		rare, possibly increasing
<input type="checkbox"/>	<i>Cattle Egret</i>		most late fall-early winter, unusual 21Aug1997, rare since 1990s
<input type="checkbox"/>	Green Heron												very few in winter, absent Dec-Mar in cold years
<input type="checkbox"/>	Black-cr. Night-Heron		irregular and local, most appear Aug at FR
Ibises and Spoonbills													
<input type="checkbox"/>	White-faced Ibis												irregular, mainly FR, early 22Apr1995
New World Vultures													
<input type="checkbox"/>	Turkey Vulture		small numbers annual in winter WV
Ospreys													
<input type="checkbox"/>	Osprey		very few in winter, obvious but not large numbers in summer
Hawks, Kites, Eagles, and Allies													
<input type="checkbox"/>	White-tailed Kite												rare irregular breeder
<input type="checkbox"/>	Bald Eagle												local breeder, concentrates in winter near water, pastures
<input type="checkbox"/>	Northern Harrier												highly visible though not high numbers
<input type="checkbox"/>	Sharp-shinned Hawk												visible though not high numbers, peak in Sep-Oct

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Hawks, Kites, Eagles, and Allies												Comments
<input type="checkbox"/>	Cooper's Hawk											visible, local breeder in cities, migrants peak Sep-Oct
<input type="checkbox"/>	Northern Goshawk										small numbers breed high Cas, rare elsewhere all seasons
<input type="checkbox"/>	Red-shouldered Hawk											increasing, lowlands esp FR, more in winter
<input type="checkbox"/>	Swainson's Hawk	rare but regular in migration, two documented in early winter
<input type="checkbox"/>	Red-tailed Hawk											visible, not large numbers, concentrates in winter
<input type="checkbox"/>	Rough-legged Hawk											numbers vary widely year to year
<input type="checkbox"/>	Ferruginous Hawk	about five records
<input type="checkbox"/>	Golden Eagle										rare breeder Cas, Coburg Hills, rare WV in winter
Barn Owls												
<input type="checkbox"/>	Barn Owl											
Typical Owls												
<input type="checkbox"/>	Western Screech-Owl											most foothills, lowlands, local in Cascades
<input type="checkbox"/>	Great Horned Owl											
<input type="checkbox"/>	Snowy Owl		cyclical, latest in spring 27Mar2001 FL
<input type="checkbox"/>	Northern Pygmy-Owl											mainly montane
<input type="checkbox"/>	Burrowing Owl		fall-winter, most pre-1994, WV, rare on outer coast
<input type="checkbox"/>	Spotted Owl										declining and local
<input type="checkbox"/>	Barred Owl											increasing and widespread
<input type="checkbox"/>	Great Gray Owl										local resident high Cascades, casual W to CR
<input type="checkbox"/>	Long-eared Owl										poorly known, may breed, a few probably winter
<input type="checkbox"/>	Short-eared Owl											irregular historic breeder FR, no recent confirmation
<input type="checkbox"/>	Boreal Owl										may breed, appears resident, poorly known, WG area
<input type="checkbox"/>	N. Saw-whet Owl											partially migratory, fall flights in Oct
Kingfishers												
<input type="checkbox"/>	Belted Kingfisher											low numbers but obvious, more local in summer
Woodpeckers and Allies												
<input type="checkbox"/>	Lewis's Woodpecker										rare, increasing(?), montane late summer, valleys in winter
<input type="checkbox"/>	Acorn Woodpecker											local and declining, WV oaks
<input type="checkbox"/>	Williamson's Sapsucker						Cascade summit, not proven to breed
<input type="checkbox"/>	Yel.-bellied Sapsucker	rare but regular in winter
<input type="checkbox"/>	Red-naped Sapsucker										local high Cas, bred near Salt Creek Falls, very rare to valley floor

Woodpeckers and Allies												Comments
<input type="checkbox"/>	Red-br. Sapsucker											breeds mainly hills and Cas; winters mainly lowlands
<input type="checkbox"/>	Downy Woodpecker											unusual in dense forests
<input type="checkbox"/>	Hairy Woodpecker											uncommon on valley floors
<input type="checkbox"/>	Wh.-headed W'pecker											12Sep2016 McK Valley
<input type="checkbox"/>	Am. 3-toed W'pecker											Cascade summit, most in burns
<input type="checkbox"/>	Black-bk. W'pecker											Cascade summit, most in burns
<input type="checkbox"/>	Northern Flicker											peak movement in Oct
<input type="checkbox"/>	Pileated Woodpecker											
Caracaras and Falcons												
<input type="checkbox"/>	American Kestrel											
<input type="checkbox"/>	Merlin											pair summered near Scott L 1975, one in Cas summer 2001
<input type="checkbox"/>	Gyrfalcon											Eugene airport area 17Dec1971; Dec1973-Jan1974
<input type="checkbox"/>	Peregrine Falcon											irregular local breeder Cas, winter mainly WV and coast
<input type="checkbox"/>	Prairie Falcon											1-2 birds winter WV
Tyrant Flycatchers												
<input type="checkbox"/>	Olive-sided Flycatcher											
<input type="checkbox"/>	Western Wood-Pewee											latest 2Oct1980
<input type="checkbox"/>	Willow Flycatcher											rather local, willow riparian and brushy clearcuts
<input type="checkbox"/>	Least Flycatcher											not annual
<input type="checkbox"/>	Hammond's Flycatcher											
<input type="checkbox"/>	Gray Flycatcher											all WV, possibly annual in undercovered Cas openings?
<input type="checkbox"/>	Dusky Flycatcher											most Cascades, rare migrant W of Cascades
<input type="checkbox"/>	Pac.-slope Flycatcher											
<input type="checkbox"/>	Black Phoebe											local resident in lowland areas esp. coast and WV
<input type="checkbox"/>	Say's Phoebe											peak Feb-Mar, nesting attempted McK Valley
<input type="checkbox"/>	Ash-throated Flycatcher											has bred WV, unusual 16Dec1990, 25Nov1992, both FL
<input type="checkbox"/>	Tropical Kingbird											rare but regular, most outer coast, earliest 30 Sep
<input type="checkbox"/>	Cassin's Kingbird *											#4Aug1935, Mercer Lake area
<input type="checkbox"/>	Western Kingbird											most WV, rare coast, unusual 28Feb1947; 27Mar2002
<input type="checkbox"/>	Eastern Kingbird											

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Shrikes												Comments
<input type="checkbox"/>	Loggerhead Shrike											mainly WV in mid-spring
<input type="checkbox"/>	Northern Shrike											mostly WV, numbers vary from uncommon to nearly absent
Vireos												
<input type="checkbox"/>	Hutton's Vireo											
<input type="checkbox"/>	Cassin's Vireo											earliest 22Mar1974
<input type="checkbox"/>	Warbling Vireo											
<input type="checkbox"/>	Red-eyed Vireo											local, WV esp. lower Middle Fork Will R, unusual 21Apr1974
Crows and Jays												
<input type="checkbox"/>	Gray Jay											montane, a few local on outer coast, esp. Cape Creek N
<input type="checkbox"/>	Pinyon Jay											30 birds 24Sep2000, Waldo Lake
<input type="checkbox"/>	Steller's Jay											some movement Oct
<input type="checkbox"/>	Blue Jay											several Oct, one wintered
<input type="checkbox"/>	California Scrub-Jay											mostly interior valleys, occasional W of eastern Coast Range
<input type="checkbox"/>	Clark's Nutcracker											high Cas, casual to valleys fall, winter
<input type="checkbox"/>	Black-billed Magpie											none since 1979
<input type="checkbox"/>	American Crow											
<input type="checkbox"/>	Common Raven											
Larks												
<input type="checkbox"/>	Horned Lark											locally common breeder on WV floor, less common in winter
Swallows												
<input type="checkbox"/>	Purple Martin											mainly FR, FL, local elsewhere
<input type="checkbox"/>	Tree Swallow											concentrated after mid-Aug, rare but regular in winter
<input type="checkbox"/>	Violet-green Swallow											concentrated after early July
<input type="checkbox"/>	N. Rough-wing. Swal.											
<input type="checkbox"/>	Bank Swallow											mainly FR, annual in small numbers May and esp. Aug
<input type="checkbox"/>	Cliff Swallow											abundant at colony sites, latest 27Oct1975
<input type="checkbox"/>	Barn Swallow											absent most winters, occasional small influx in Jan
Chickadees and Titmice												
<input type="checkbox"/>	Blk-capped Chickadee											local to 3000 ft (?) in riparian
<input type="checkbox"/>	Mountain Chickadee											breeds high Cas, irregular to lowlands in winter
<input type="checkbox"/>	Chestnut-bk. Chickadee											

	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	Comments
Long-tailed Tits and Bushtits													
<input type="checkbox"/> Bushtit													rare east of Cascade foothill riparian and brushland
Nuthatches													
<input type="checkbox"/> Red-br. Nuthatch													irruptive to lowlands, numbers vary widely
<input type="checkbox"/> White-br. Nuthatch													local WV in oak and large riparian groves, declining?, 1 coast
<input type="checkbox"/> Pygmy Nuthatch													rare wanderer
Creepers													
<input type="checkbox"/> Brown Creeper													breeds mainly above valleys, some migration
Wrens													
<input type="checkbox"/> Rock Wren													irreg breeder Spencer Butte, Cas dams, also high Cas
<input type="checkbox"/> Canyon Wren													Spencer Butte, Cougar Dam, Cas
<input type="checkbox"/> House Wren													somewhat local breeder, early Mar2 [2# in UO Mus]
<input type="checkbox"/> Pacific Wren													most breed above WV floor
<input type="checkbox"/> Marsh Wren													locally common, in winter most common on coast
<input type="checkbox"/> Bewick's Wren													locally common WV, uncommon in higher Cas
Gnatcatchers and Gnatwrens													
<input type="checkbox"/> Blue-gray Gnatcatcher													irregular, mainly at Mt. Pisgah, vagrant to outer coast
Dippers													
<input type="checkbox"/> American Dipper													Cas and CR, rare in Siuslaw system, rare to WV floor
Kinglets													
<input type="checkbox"/> Golden-cr. Kinglet													
<input type="checkbox"/> Ruby-cr. Kinglet													rare local high Cas breeder, does not breed CR
Old World Warblers and Gnatcatchers													
<input type="checkbox"/> Wrentit													common on coast, local WV, local but expanding Cas
Thrushes													
<input type="checkbox"/> Western Bluebird													mainly WV, occasional on coast
<input type="checkbox"/> Mountain Bluebird													local breeder along Cas crest, rare to west, mainly spring
<input type="checkbox"/> Townsend's Solitaire													montane breeder, casual to lowlands in winter
<input type="checkbox"/> Swainson's Thrush													latest 20Oct1985, 24Oct1996 (in hand), no winter records
<input type="checkbox"/> Hermit Thrush													summer Cas, winter mainly lowlands, esp. coast
<input type="checkbox"/> American Robin													locally abundant in Oct on outer coast, winter in lowlands

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Thrushes												Comments
<input type="checkbox"/>	Varied Thrush											summer montane, winter (number) show <input type="checkbox"/> 2
Mockingbirds and Thrashers												
<input type="checkbox"/>	Gray Catbird											rare visitor, may summer rarely in high Cas
<input type="checkbox"/>	Brown Thrasher											vagrant, one wintered 9Sep2006-21Mar2007
<input type="checkbox"/>	Sage Thrasher											semi-regular drifter from E of Cas in April
<input type="checkbox"/>	Northern Mockingbird											almost annual, mainly post-breeding and winter
Starlings												
<input type="checkbox"/>	European Starling	1										local in higher Cas, large flocks in winter WV, coast
Waxwings												
<input type="checkbox"/>	Bohemian Waxwing											irruptive, absent most years
<input type="checkbox"/>	Cedar Waxwing											irregular in winter on coast, local inland, mainly towns
Silky-flycatchers												
<input type="checkbox"/>	Phainopepla	*										5May2001 FL, Aug2001 Eugene, unconfirmed sight records
Old World Sparrows												
<input type="checkbox"/>	House Sparrow	1										
Wagtails and Pipits												
<input type="checkbox"/>	E. Yellow Wagtail	*										31Aug1997, Siltcoos R mouth
<input type="checkbox"/>	White Wagtail	*										3Feb-26Mar1974, Eugene
<input type="checkbox"/>	Red-throated Pipit	*										11-12Sep2015 FR
<input type="checkbox"/>	American Pipit											a few breed 3 Sisters, possibly Diamond Pk
Fringilline and Cardueline Finches and Allies												
<input type="checkbox"/>	Brambling	*										25-31Oct1990 FL, 12Apr2006 Eugene, 18Dec2016-22Feb+2017 coast
<input type="checkbox"/>	Gray-cr. Rosy-Finch											a few breed 3 Sisters, possibly Diamond Pk, casual lowland hilltops fall
<input type="checkbox"/>	Pine Grosbeak											status unclear, most high Cas, 1 CR
<input type="checkbox"/>	House Finch											
<input type="checkbox"/>	Purple Finch											most breed montane, movement Mar-Apr in valley, local in winter
<input type="checkbox"/>	Cassin's Finch											local on Cascade summit, very rare to WV in winter
<input type="checkbox"/>	Red Crossbill											irruptive, can be common, numbers and locations vary
<input type="checkbox"/>	White-winged Crossbill											most Aug-Oct high Cas, fewer since 2000
<input type="checkbox"/>	Common Redpoll											16Dec1914 E #UO, Dec89-Feb1990 FL; 6-8Jan2000 Eugene

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Fringilline and Cardueline Finches and Allies

Comments

<input type="checkbox"/>	Pine Siskin															montane breeder, irruptive, can be absent for months
<input type="checkbox"/>	Lesser Goldfinch															mainly WV, rare on coast or in Cascades
<input type="checkbox"/>	Lawrence's Goldfinch *															24Dec1991-11Jan1992 FL, also April in Eugene
<input type="checkbox"/>	American Goldfinch															
<input type="checkbox"/>	Evening Grosbeak															montane breeder, irruptive, lowlands in fall, April

Longspurs and Snow Buntings

<input type="checkbox"/>	Lapland Longspur															most coastal (fall) and NE (winter), numbers vary, latest 24May1989
<input type="checkbox"/>	Chestnut-col. Longspur															1May1976 FR, 28Oct2007, most Oregon reports in Oct
<input type="checkbox"/>	Smith's Longspur *															24Sep2000 Siltcoos R mouth
<input type="checkbox"/>	Snow Bunting															not annual, most often on outer coast

Wood-Warblers

<input type="checkbox"/>	Ovenbird															vagrant 31May1992, 11Jun1995 Cas
<input type="checkbox"/>	Northern Waterthrush															rare migrant, has bred upper Salt Creek
<input type="checkbox"/>	Blk-and-white Warbler															25Feb-8Apr1989, 9Jul1994, 19Aug1994, 5Sep1994, Sep1970
<input type="checkbox"/>	Tennessee Warbler															lowlands, urban areas
<input type="checkbox"/>	Orange-cr. Warbler															rare in winter in lowlands
<input type="checkbox"/>	Lucy's Warbler *															27Dec1986-24Jan1987 FL
<input type="checkbox"/>	Nashville Warbler															common breeder SE Lane, rare W of Eugene, very rare after Oct
<input type="checkbox"/>	Virginia's Warbler *															8Nov1979 Eugene, 5May1985 Eugene, 9Aug1988 CR
<input type="checkbox"/>	MacGillivray's Warbler															casual after early Oct, occasional after Nov
<input type="checkbox"/>	Mourning Warbler *															12Jul1984 Cas
<input type="checkbox"/>	Common Yellowthroat															rare and local in winter, most coastal
<input type="checkbox"/>	Hooded Warbler *															20+ Jul1974 near Junction City, 28Apr2016 near Eugene airport
<input type="checkbox"/>	American Redstart															late 28Dec1987 Eugene
<input type="checkbox"/>	Northern Parula															vagrant, 21Aug1993 FL, also late spring there
<input type="checkbox"/>	Magnolia Warbler															vagrant, 25Apr1991 Cas, 4Jun1981 CR
<input type="checkbox"/>	Yellow Warbler															somewhat local, most willow riparian, earliest 18Mar1989
<input type="checkbox"/>	Chestnut-sided Warbler															vagrant, coast and WV
<input type="checkbox"/>	Blackpoll Warbler															rare fall vagrant, montane and coast
<input type="checkbox"/>	Palm Warbler															coastal, rare, annual peak Oct-Nov, unusual 25Jul1974 Jasper
<input type="checkbox"/>	YR Audubon's Warbler															breeds high Cas, also coastal pines, winters mostly WV
<input type="checkbox"/>	YR Myrtle Warbler															migrant; significant numbers winter coast, small numbers inland

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Wood-Warblers												Comments	
<input type="checkbox"/>	Black-thr. Gray Warbler											
<input type="checkbox"/>	Townsend's Warbler											local montane breeder S to WG, edge unclear, winters in lowlands
<input type="checkbox"/>	Hermit Warbler											very rare in winter
<input type="checkbox"/>	Black-thr. Grn Warbler*											10May1978, 7-14Dec2001 Eugene
<input type="checkbox"/>	Wilson's Warbler											occasional in winter
<input type="checkbox"/>	Yellow-breasted Chat											unusual Dec2001-Jan2002 FL, 15Feb1973 Dexter, 27Mar1979
Emberizids													
<input type="checkbox"/>	Green-tailed Towhee											Cascade summit, local
<input type="checkbox"/>	Spotted Towhee											most common lowlands in winter
<input type="checkbox"/>	California Towhee											..	15Jul1998, Mt. Pisgah
<input type="checkbox"/>	American Tree Sparrow											almost annual WV, coast, unusual 15May1971 Eugene
<input type="checkbox"/>	Chipping Sparrow											usually absent outer coast, winter favors filbert groves
<input type="checkbox"/>	Clay-colored Sparrow											rare but annual, most in Sep
<input type="checkbox"/>	Brewer's Sparrow											irregular breeder Cas summit openings, annual sum/fall FR
<input type="checkbox"/>	Vesper Sparrow											local, mainly WV and foothills, rare winter in WV
<input type="checkbox"/>	Lark Sparrow											nearly annual WV, nonbreeder, unusual 26Nov1983
<input type="checkbox"/>	Black-throated Sparrow											not annual, earliest 26Apr, latest 19Jun
<input type="checkbox"/>	Sagebrush Sparrow											seven records, mainly Apr
<input type="checkbox"/>	Lark Bunting *											rare vagrant
<input type="checkbox"/>	Savannah Sparrow											local in winter
<input type="checkbox"/>	Grasshopper Sparrow											WV, rare and local, numbers and locations vary
<input type="checkbox"/>	Fox Sparrow											breeds Cas, winter lowlands [different populations]
<input type="checkbox"/>	Song Sparrow											
<input type="checkbox"/>	Lincoln's Sparrow											montane breeder, winter in lowlands
<input type="checkbox"/>	Swamp Sparrow											very few, most on coast, unusual 17May1992 Salt Creek
<input type="checkbox"/>	White-throated Sparrow											
<input type="checkbox"/>	Harris's Sparrow											irregular, not annual
<input type="checkbox"/>	White-cr. Sparrow											
<input type="checkbox"/>	Golden-cr. Sparrow											arrives late Aug-early Sep high Cas, lowlands later
<input type="checkbox"/>	Dark-eyed Junco											most breed above WV floor, most winter in lowlands
<input type="checkbox"/>	Rustic Bunting *											31Mar-17Apr1994 Eugene

Dec
Nov
Oct
Sep
Aug
July
June
May
Apr
Mar
Feb
Jan

Tanagers, Grosbeaks, and Allies												Comments
<input type="checkbox"/>	<i>Summer Tanager</i>	*									one bird, 6Jan-5Apr2007
<input type="checkbox"/>	Western Tanager	occasional after Oct, a few Dec, earliest 16Mar1972
<input type="checkbox"/>	<i>Rose-br. Grosbeak</i>					nearly annual, any season, Jun peak
<input type="checkbox"/>	Blk-headed Grosbeak	departure poorly known, rare after mid-Sep
<input type="checkbox"/>	<i>Blue Grosbeak</i>	*				..						21Dec1980 Eugene, 3June2000 N coast
<input type="checkbox"/>	Lazuli Bunting					rare on coast, unusual 15Mar1947, latest 8Oct1983
<input type="checkbox"/>	<i>Indigo Bunting</i>				 rare but regular, summer peak
<input type="checkbox"/>	<i>Dickcissel</i>	*				..						2July2013 FR, 29Mar2016 Westfir
Blackbirds												
<input type="checkbox"/>	<i>Bobolink</i>											1Jun1980 and 1Sep1980 FR, 1979 along I-5, also summer 2000?
<input type="checkbox"/>	Red-winged Blackbird		widespread in summer, large local flocks in winter
<input type="checkbox"/>	<i>Tricolored Blackbird</i>									rare but regular summer and early fall FR, also 6April1996, 6Jan1999 FR
<input type="checkbox"/>	Western Meadowlark		becoming scarce as breeder, local flocks in winter
<input type="checkbox"/>	Yel.-headed Blackbird									locally common FR in summer
<input type="checkbox"/>	<i>Rusty Blackbird</i>											24-26Oct2010
<input type="checkbox"/>	Brewer's Blackbird		concentrates in winter, common in towns, feedlots
<input type="checkbox"/>	<i>Common Grackle</i>	*								1May-19Jun1987 Veneta, 21Apr1994 Eugene
<input type="checkbox"/>	<i>Great-tailed Grackle</i>											becoming annual, mainly spring at FR
<input type="checkbox"/>	Brn-headed Cowbird		
<input type="checkbox"/>	<i>Hooded Oriole</i>	 6 records, 1 wintered
<input type="checkbox"/>	Bullock's Oriole					rare coast, a few winter records
<input type="checkbox"/>	<i>Baltimore Oriole</i>	 rare vagrant, mostly winter and late spring